




**PROFIGOLD®**

**THE PROFESSIONAL CATALOGUE**

# CONTENT

INTRODUCTION .....	1
<b>PROFESSIONAL</b>	
<b>THE PACKAGE</b> .....	3
<b>FEATURES &amp; BENEFITS</b> .....	4, 5, 6, 7
<b>AWARD WINNING TECHNOLOGY</b> .....	6
<b>SOUND</b>	
<b>3.5MM INTERCONNECTS</b> .....	8
<b>SUBWOOFER INTERCONNECTS</b> .....	8, 9
<b>RCA AUDIO INTERCONNECTS</b> .....	8, 9
<b>DIGITAL AUDIO INTERCONNECTS</b> .....	8, 9
<b>RCA COUPLERS &amp; ADAPTERS</b> .....	10
<b>MEDIA</b>	
<b>VGA INTERCONNECTS</b> .....	10
<b>VISION</b>	
<b>COMPONENT INTERCONNECTS</b> .....	10
<b>COMPOSITE INTERCONNECTS</b> .....	10, 11
<b>S-VIDEO INTERCONNECTS</b> .....	10, 11
<b>SCART INTERCONNECTS</b> .....	10, 11
<b>SCART ADAPTERS</b> .....	10, 11
<b>HDMI™ INTERCONNECTS</b> .....	12
<b>HDMI™ COUPLERS &amp; ADAPTERS</b> .....	12, 13
<b>ANTENNA INTERCONNECTS</b> .....	12, 13
<b>CABLE ON REEL</b>	
<b>AUDIO CABLE ON REEL</b> .....	14
<b>VIDEO CABLE ON REEL</b> .....	14, 15
<b>ANTENNA CABLE ON REEL</b> .....	14, 15
<b>BANANA PLUGS</b> .....	16
<b>SPEAKER CABLE ON REEL</b> .....	16, 17
<b>BANANA PLUGS</b> .....	18






**PROFIGOLD**®

#### **INSTALL THE EXPERIENCE**

Profigold has followed closely the technological advances in Consumer Electronics since its conception in 1995. From the first moment, Profigold was recognized around the world by retail channels and awarded year on year by the leading International press for its outstanding quality.

The same award winning technology has driven Profigold into a new direction with the Professional range. A range specially created for custom installation professionals and technically orientated, on-line buying consumers. Both having specific cable and accessory needs, while also the package requirements differ from our dedicated retail range.

Profigold Professional offers the perfect solution with outstanding, well-balanced, long lasting and acclaimed interconnects. Developed in The Netherlands for the optimum connection between vision, sound and media equipment and consistently providing excellent quality. Suitable for every brand and available in lengths up to 20 meter.



**PROFIGOLD**

**INSTALL THE EXPERIENCE**



HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC



## UNIQUE SELLING POINTS

**HDMI™**  
HIGH DEFINITION MULTIMEDIA INTERFACE

### CERTIFIED HIGH SPEED HDMI™ CABLES

- 1 High Speed HDMI™ 1.3b cat2 certified.  
Supports Deep Color & x.v. Color™  
Designed for 1440p, 1080p and 1080i resolution, even up to 20 meters  
10.2 Gbps and 48Bit, for ultimate resolution and frame rates  
Supports Dolby® TruHD and DTS-HD Master Audio™ multi channel audio, for future proof audio  
Compatible with Blu-ray, PS3® and XBox® for true life gaming

### PROFESSIONAL PACKAGE

- 2 Re-sealable transparent heavy duty poly bag  
Easy recognition of connector types  
Simple installation with minimum un-packing time  
Minimum package waste to save environment  
Space efficient storage in van or warehouse  
Sticker label easy adjustable to local language

### SUPERIOR PLUG DESIGN

- 3 24k Gold plated copper contacts which prevent corrosion and ensure long life optimum signal transfer
- 4 Silver soldering for minimizing transition resistance to deliver the most natural picture
- 5 Flexible Strain Relief design, allows maximum installation flexibility without damaging the interconnect and avoiding signal intern
- 6 Color coded plugs for easiest installation



4



## AWARD WINNING TECHNOLOGY

WHAT HI-FI?



"There's not much choice in cables as long as this, so well done Profigold for producing a well/balanced poised cable at this money."

1

WHAT HI-FI?



"Great value for money. Colour balance is excellent, while the detail on show at this price is well worthy of our praise too. It's a really accomplished component cable."

2



WHAT HI-FI?



**HomeEntertainment**  
THE #1 GUIDE TO HOME CINEMA, DVD, WEBSCREEN AND DIGITAL TV

"The PGA4201CI sounds coherent and energetic for the money. With impressive detail."

3

6

### AWARD WINNING PRODUCT RANGE

- |   |           |               |     |   |
|---|-----------|---------------|-----|---|
| 1 | PGV1010CI | HDMI          | 10m | What Hifi ****                                |
|   | PGV1015CI | HDMI          | 15m | What Hifi ****                                |
| 2 | PGV335CI  | Component     | 5m  | What Hifi *****                               |
|   | PGV6602CI | S-Video       | 2m  | Home Entertainment *****                      |
|   | PGD481CI  | Digital Coax  | 1m  | Stereoplay Highlight,<br>Best Buy             |
|   | PGD561CI  | Optical Audio | 1m  | Kauftip                                       |
| 3 | PGA4201CI | Stereo RCA    | 1m  | Stereoplay Highlight,<br>Hifi i Muzyker ***** |

### HIGH QUALITY CABLE DESIGN

- 4 High Grade 99,996% Oxygen Free Copper ensure the lowest possible signal loss for superior analogue and digital audio and video signals
- 5 Double braided or spiral screening with an additional foil screening for maximum protection against Radio Frequency Interference to guarantee superior distortion free picture
- 6 Cellular PE insulation is used to provide the lowest possible signal attenuation resulting in crystal clear high frequencies in both audio and digital signals

### IAT DESIGN

- 7 Interference Absorption Technology (IAT) eliminates all possible Electro Magnetic Interference for unmatched ultra clean picture and sound



4



5



6



7

7



**3.5MM INTERCONNECTS**  
**SUBWOOFER INTERCONNECTS**  
**RCA AUDIO INTERCONNECTS**  
**DIGITAL AUDIO INTERCONNECTS**

- ① **PGA3302CI** | 3.5mm Audio Interconnect  
3.5mm Stereo Jack ♂ - 3.5mm Stereo Jack ♂ 1.2m 3.9ft
- ② **PGA3402CI** | 3.5mm - RCA Audio Interconnect  
3.5mm Stereo Jack ♂ - 2 x RCA ♂ 1.2m 3.9ft  
**PGA3403CI** | 3.0m 9.8ft  
**PGA3405CI** | 5.0m 16.4ft  
**PGA3409CI** | 10.0m 32.8ft
- ③ **PGA4103CI** | Subwoofer Interconnect  
RCA ♂ - RCA ♂ 3.0m 9.8ft  
**PGA4105CI** | 5.0m 16.4ft  
**PGA4109CI** | 10.0m 32.8ft
- ④ **PGA4012CI** | Subwoofer Adapter Interconnect  
2 x RCA ♂ - RCA ♀ 0.5m 1.6ft
- ⑤ **PGA4200CI** | Stereo RCA Audio Interconnect  
2 x RCA ♂ - 2 x RCA ♂ 0.5m 1.6ft  
**PGA4201CI** | 1.0m 3.2ft  
**PGA4203CI** | 3.0m 9.8ft  
**PGA4205CI** | 5.0m 16.4ft  
**PGA4209CI** | 10.0m 32.8ft  
**PGA4220CI** | 20.0m 65.6ft
- ⑥ **PGD481CI** | Digital Coaxial Interconnect  
RCA ♂ - RCA ♂ 1.0m 3.2ft  
**PGD483CI** | 3.0m 9.8ft  
**PGD485CI** | 5.0m 16.4ft  
**PGD489CI** | 10.0m 32.8ft
- ⑦ **PGD561CI** | Digital Optical Interconnect  
TOS ♂ - TOS ♂ 1.0m 3.2ft  
**PGD563CI** | 3.0m 9.8ft  
**PGD565CI** | 5.0m 16.4ft



4



5



6



7

9

SOUND



1



2



3



4

10

## RCA COUPLERS & ADAPTERS

## VGA INTERCONNECTS

## COMPONENT INTERCONNECTS

## S-VIDEO INTERCONNECTS

## SCART INTERCONNECTS & ADAPTERS

- PGP2000CI** | RCA Coupler  
RCA ♀ - RCA ♀
- PGP3000CI** | RCA Splitter  
RCA ♂ - 2 x RCA ♀
- PGM1102CI** | VGA Interconnect  
15PIN HD ♂ - 15PIN HD ♀ 2.0m 6.6ft  
**PGM1105CI** | 5.0m 16.4ft  
**PGM1110CI** | 10.0m 32.8ft  
**PGM1115CI** | 15.0m 49.2ft
- PGV332CI** | Component Interconnect  
3 x RCA ♂ - 3 x RCA ♀ 1.5m 4.9ft  
**PGV333CI** | 3.0m 9.8ft  
**PGV335CI** | 5.0m 16.4ft  
**PGV339CI** | 10.0m 32.8ft
- PGV5302CI** | Stereo Audio Video Interconnect  
3 x RCA ♂ - 3 x RCA ♀ 1.5m 4.9ft  
**PGV5305CI** | 5.0m 16.4ft
- PGV6032CI** | Composite Video Interconnect  
RCA ♂ - RCA ♀ 1.5m 4.9ft  
**PGV6033CI** | 3.0m 9.8ft  
**PGV6035CI** | 5.0m 16.4ft  
**PGV6039CI** | 10.0m 32.8ft
- PGV6602CI** | S-Video Interconnect  
S-VIDEO ♂ - S-VIDEO ♀ 1.5m 4.9ft  
**PGV6603CI** | 3.0m 9.8ft  
**PGV6605CI** | 5.0m 16.4ft  
**PGV6609CI** | 10.0m 32.8ft  
**PGV6620CI** | 20.0m 65.6ft
- PGV7392CI** | SCART Interconnect  
SCART ♂ - SCART ♀ 1.5m 4.9ft
- PGV781CI** | Flat SCART Interconnect  
SCART ♂ - SCART ♀ 0.75m 2.4ft  
**PGV782CI** | 1.5m 4.9ft  
**PGV783CI** | 3.0m 9.8ft  
**PGV785CI** | 5.0m 16.4ft  
**PGV789CI** | 10.0m 32.8ft  
**PGV7820CI** | 20.0m 65.6ft
- PGP3200CI** | SCART Adapter  
SCART ♂ - 3 x RCA ♀ + S-VIDEO ♀



5



6



7



8



9



10

11



## HDMI™ INTERCONNECTS

### HDMI™ COUPLERS & ADAPTERS

### ANTENNA INTERCONNECTS

- ① **PGV1302CI** | Flat HDMI™ Interconnect  
HDMI™ CONNECTOR ♂ - HDMI™  
CONNECTOR ♂ 2.0m 6.6ft  
**PGV1303CI** | 3.0m 9.8ft  
**PGV1305CI** | 5.0m 16.4ft  
**PGV1307CI** | 7.5m 24.6ft  
**PGV1310CI** | 10.0m 32.8ft
- ② **PGV1000CI** | HDMI™ Interconnect  
HDMI™ CONNECTOR ♂ - HDMI™  
CONNECTOR ♂ 0.5m 1.6ft  
**PGV1001CI** | 1.0m 3.2ft  
**PGV1002CI** | 2.0m 6.6ft  
**PGV1003CI** | 3.0m 9.8ft  
**PGV1005CI** | 5.0m 16.4ft  
**PGV1010CI** | 10.0m 32.8ft  
**PGV1015CI** | 15.0m 49.2ft  
**PGV1020CI** | 20.0m 65.6ft
- ③ **PGP1201CI** | HDMI™ Swivel Adapter  
HDMI™ CONNECTOR ♂ - HDMI™  
CONNECTOR ♀
- ④ **PGP1202CI** | HDMI™ X-Tender  
HDMI™ CONNECTOR ♀ - HDMI™  
CONNECTOR ♀
- ⑤ **PGP1011CI** | HDMI™ Coupler  
HDMI™ CONNECTOR ♀ - HDMI™  
CONNECTOR ♀
- ⑥ **PGP1102CI** | HDMI™ - DVI Adapter Cable  
HDMI™ CONNECTOR ♂ - DVI-D ♀
- ⑦ **PGP1002CI** | DVI - HDMI™ Adapter Cable  
DVI-D ♂ - HDMI™ CONNECTOR ♀
- ⑧ **PGV8902CI** | 100Hz Coax Interconnect  
COAX ♂ - COAX ♂ 2.0m 6.6ft  
**PGV8905CI** | 5.0m 16.4ft
- ⑨ **PGV8921CI** | 100Hz Coax Interconnect  
COAX ♂ - COAX ♀ 1.0m 3.2ft  
**PGV8922CI** | 2.0m 6.6ft  
**PGV8925CI** | 5.0m 16.4ft  
**PGV8929CI** | 10.0m 32.8ft



4



5



6



7



8



9

13



**AUDIO CABLE ON REEL**  
**VIDEO CABLE ON REEL**  
**ANTENNA CABLE ON REEL**

- 1 **PGC4800** | High Performance Digital Coax Audio Cable on Reel  
1\*80\*0,10 OFC strands, o.d. 8,0mm, Air Foam PE Insulation, Dual Screening **50m 164ft**
- 2 **PGC3536** | High Performance Audio Cable on Reel  
1\*52\*0,08 OFC strands, o.d. 9,0mm, Air Foam PE Insulation, Triple screening **50m 164ft**
- 3 **PGC3526** | High Performance Audio Cable on Reel  
2\*25\*0,12 OFC strands, o.d. 13,9mm, Air Foam PE Insulation, Triple screening **50m 164ft**
- 4 **PGC3226** | High Performance Audio Cable on Reel  
2\*31\*0,1 OFC strands, o.d. 9,6mm, Air Foam PE Insulation, Dual screening **50m 164ft**
- 5 **PGC6606** | High Performance S-Video Cable on Reel  
2\*7\*0,12 OFC strands, o.d. 6,5mm, Air Foam PE Insulation **100m 328ft**
- 6 **PGC3300** | High Performance Component Video cable on reel  
3\*25\*0,12 OFC strands, o.d. 18,0mm, Air Foam PE Insulation **50.0m 164ft**
- 7 **PGC5609** | High Performance Digital Satellite Coax Cable on Reel  
1\*1\*1,13 OFC strand, o.d. 7,0mm, Air Foam PE Insulation, Triple screening, UV and temperature resistance, 115dB **100m 328ft**



4



5



6



7

15



1



2

## BANANA PLUGS SPEAKER CABLE ON REEL

- 1 **PGA8104CI** | Banana Plugs 6mm  
50 x BANANA BLACK, 50 x BANANA RED
- 2 **PGA8114CI** | Banana Plugs 4mm  
50 x BANANA BLACK, 50 x BANANA RED
- 3 **PGC7154** | High Performance Bassflex Loudspeaker  
Cable on Reel  
1\*5mm o.d. 8mm, Solid Bass and flexible High  
conductor, Transparent jacket 100m 328ft  
  
**PGC7159** | 2\*1.5mm o.d. 8mm, Solid Bass and  
flexible High conductor, White jacket 100m 328ft
- 4 **PGC7254** | High Performance Bassflex Loudspeaker  
Cable on Reel  
2\*2.5mm o.d. 11mm, Solid Bass and flexible High  
conductor, Transparent jacket 100m 328ft
- 5 **PGC7259** | High Performance Bassflex Loudspeaker  
Cable on Reel  
2\*2.5mm o.d. 11mm, Solid Bass and flexible High  
conductor, White jacket 100m 328ft
- 6 **PGC8156** | High Performance AirBassflex  
Loudspeaker Cable on Reel  
2\*1,5mm o.d. 16mm, Air Foam PE Insulation, Pure  
Silver Solid Bass and flexible High conductor 100m  
328ft
- 7 **PGC8256** | High Performance AirBassflex  
Loudspeaker Cable on Reel  
2\*2,5mm o.d. 20mm, Air Foam PE Insulation, Pure  
Silver Solid Bass and flexible High conductor 50m  
164ft
- 8 **PGC11529** | High Performance FlatFlex loudspeaker  
Cable on Reel  
2\*1,3mm o.d. 12mm, Air Foam PE Insulation, Ultra  
Flat 2.2mm high 100m 328ft
- 9 **PGC7404** | High Performance Bassflex Loudspeaker  
Cable on Reel  
2\*4mm o.d. 12mm, Solid Bass and flexible High  
conductor, Transparent jacket 50m 164ft
- 10 **PGC7409** | High Performance Bassflex Loudspeaker  
Cable on Reel  
2\*4mm o.d. 12mm, Solid Bass and flexible High  
conductor, White jacket 50m 164ft



## RCA PLUGS



① **PGA1213CI** | RCA Connectors Ø6mm  
2 x RCA male black, 2 x RCA male red

② **PGA1123CI** | RCA Sockets Ø6mm  
2 x RCA female black, 2 x RCA female red

ARTICLE	DESCRIPTION	LENGTH	BARCODE	PACKAGE SIZE	INNER CARTON QTY	OUTER CARTON QTY	PAGE
<b>PGA1123CI</b>	RCA Sockets Ø6mm	N.A.	8717587035012	CIBAG1	100	1.600	18
<b>PGA1213CI</b>	RCA Connectors Ø6mm	N.A.	8717587034916	CIBAG1	100	1.600	18
<b>PGA3302CI</b>	3.5mm Audio Interconnect	1.2m / 3.9ft	8717587025907	CIBAG2	5	40	8
<b>PGA3402CI</b>	3.5mm - RCA Audio Interconnect	1.2m / 3.9ft	8717587025938	CIBAG2	5	40	8
<b>PGA3403CI</b>	3.5mm - RCA Audio Interconnect	3.0m / 9.8ft	8717587025969	CIBAG2	5	40	8
<b>PGA3405CI</b>	3.5mm - RCA Audio Interconnect	5.0m / 16.4ft	8717587025990	CIBAG2	5	40	8
<b>PGA3409CI</b>	3.5mm - RCA Audio Interconnect	10.0m / 32.8ft	8717587026027	CIBAG2	5	20	8
<b>PGA4012CI</b>	Subwoofer Adapter Interconnect	0.5m / 1.6ft	8717587026058	CIBAG2	5	40	8, 9
<b>PGA4103CI</b>	Subwoofer Interconnect	3.0m / 9.8ft	8717587026089	CIBAG2	5	20	8
<b>PGA4105CI</b>	Subwoofer Interconnect	5.0m / 16.4ft	8717587026119	CIBAG2	5	20	8
<b>PGA4109CI</b>	Subwoofer Interconnect	10.0m / 32.8ft	8717587026140	CIBAG4	5	10	8
<b>PGA4200CI</b>	Stereo RCA Audio Interconnect	0.5m / 1.6ft	8717587026171	CIBAG2	5	20	8, 9
<b>PGA4201CI</b>	Stereo RCA Audio Interconnect	1.0m / 3.2ft	8717587026201	CIBAG3	5	20	8, 9
<b>PGA4203CI</b>	Stereo RCA Audio Interconnect	3.0m / 9.8ft	8717587026232	CIBAG2	5	20	8, 9
<b>PGA4205CI</b>	Stereo RCA Audio Interconnect	5.0m / 16.4ft	8717587026263	CIBAG2	5	20	8, 9
<b>PGA4209CI</b>	Stereo RCA Audio Interconnect	10.0m / 32.8ft	8717587026294	CIBAG3	5	10	8, 9
<b>PGA4220CI</b>	Stereo RCA Audio Interconnect	20.0m / 65.6ft	8717587026324	CIBAG5	0	5	8, 9
<b>PGA8104CI</b>	Banana Plugs 6mm	N.A.	8717587029790	CIBAG5 + Tray	500	1.000	16
<b>PGA8114CI</b>	Banana Plugs 4mm	N.A.	8717587029820	CIBAG5 + Tray	500	1.000	16
<b>PGC7154</b>	High Performance Bass-Flex Loudspeaker Cable on Reel	100m / 328ft	5016509041838	REEL1	1	4	16, 17
<b>PGC7159</b>	High Performance Bass-Flex Loudspeaker Cable on Reel	100m / 328ft	5016509041845	REEL1	1	4	16, 17
<b>PGC7254</b>	High Performance Bass-Flex Loudspeaker Cable on Reel	100m / 328ft	5016509041852	REEL1	1	2	16, 17
<b>PGC7259</b>	High Performance Bass-Flex Loudspeaker Cable on Reel	100m / 328ft	5016509041869	REEL1	1	2	16, 17
<b>PGC7404</b>	High Performance Bass-Flex Loudspeaker Cable on Reel	50m / 164ft	5016509046376	REEL1	1	2	16, 17
<b>PGC7409</b>	High Performance Bass-Flex Loudspeaker Cable on Reel	50m / 164ft	5016509046369	REEL1	1	2	16, 17
<b>PGC8156</b>	High Performance AirBass-Flex Loudspeaker Cable on Reel	50m / 164ft	5016509041876	REEL1	1	4	16, 17
<b>PGC8256</b>	High Performance AirBass-Flex Loudspeaker Cable on Reel	50m / 164ft	5016509041883	REEL2	1	4	16, 17
<b>PGC11529</b>	High Performance 2 x 1.3mm <sup>2</sup> FlatFlex Loudspeaker Cable on Reel	100m / 328ft	5016509041807	REEL1	1	4	16, 17
<b>PGD481CI</b>	Digital Coaxial Interconnect	1.0m / 3.2ft	8717587026355	CIBAG2	5	40	8, 9

ARTICLE	DESCRIPTION	LENGTH	BARCODE	PACKAGE SIZE	INNER CARTON QTY	OUTER CARTON QTY	PAGE
<b>PGD483CI</b>	Digital Coaxial Interconnect	3.0m / 9.8ft	8717587026362	CIBAG2	5	20	8, 9
<b>PGD485CI</b>	Digital Coaxial Interconnect	5.0m / 16.4ft	8717587026393	CIBAG3	5	20	8, 9
<b>PGD489CI</b>	Digital Coaxial Interconnect	10.0m / 32.8ft	8717587026423	CIBAG4	5	10	8, 9
<b>PGD561CI</b>	Digital Optical Interconnect	1.0m / 3.2ft	8717587026454	CIBAG2	5	40	8, 9
<b>PGD563CI</b>	Digital Optical Interconnect	3.0m / 9.8ft	8717587026485	CIBAG2	5	20	8, 9
<b>PGD565CI</b>	Digital Optical Interconnect	5.0m / 16.4ft	8717587026515	CIBAG2	5	20	8, 9
<b>PGM1102CI</b>	VGA Interconnect	2.0m / 6.6ft	8717587026546	CIBAG2	5	20	10
<b>PGM1105CI</b>	VGA Interconnect	5.0m / 16.4ft	8717587026577	CIBAG3	5	10	10
<b>PGM1110CI</b>	VGA Interconnect	10.0m / 32.8ft	8717587026607	CIBAG4	0	5	10
<b>PGM1115CI</b>	VGA Interconnect	15.0m / 49.2ft	8717587026638	CIBAG4	0	5	10
<b>PGP1002CI</b>	DVI - HDMI™ Adapter Cable	0.1m / 0.3ft	8717587026669	CIBAG2	5	80	12, 13
<b>PGP1011CI</b>	HDMI™ Coupler	N.A.	8717587026690	CIBAG1	25	400	12, 13
<b>PGP1102CI</b>	HDMI™ - DVI Adapter Cable	0.1m / 0.3ft	8717587026720	CIBAG2	5	80	12, 13
<b>PGP1201CI</b>	HDMI™ Swivel Adapter	N.A.	8717587026751	CIBAG1	25	400	12
<b>PGP1202CI</b>	HDMI™ X-Tender	N.A.	8717587026782	CIBAG1	5	40	12, 13
<b>PGP2000CI</b>	RCA Coupler	N.A.	8717587026874	CIBAG1	25	100	10
<b>PGP3000CI</b>	RCA Splitter	N.A.	8717587026904	CIBAG1	25	100	10
<b>PGP3200CI</b>	SCART Adapter	N.A.	8717587026935	CIBAG1	25	100	10, 11
<b>PGV1000CI</b>	HDMI™ Interconnect	0.5m / 1.6ft	8717587026966	CIBAG2	5	40	12
<b>PGV1001CI</b>	HDMI™ Interconnect	1.0m / 3.2ft	8717587026997	CIBAG2	5	40	12
<b>PGV1002CI</b>	HDMI™ Interconnect	2.0m / 6.6ft	8717587027024	CIBAG2	5	20	12
<b>PGV1003CI</b>	HDMI™ Interconnect	3.0m / 9.8ft	8717587027055	CIBAG2	5	20	12
<b>PGV1005CI</b>	HDMI™ Interconnect	5.0m / 16.4ft	8717587027086	CIBAG2	5	10	12
<b>PGV1010CI</b>	HDMI™ Interconnect	10.0m / 32.8ft	8717587027116	CIBAG4	5	10	12
<b>PGV1015CI</b>	HDMI™ Interconnect	15.0m / 49.2ft	8717587027147	CIBAG4	0	5	12
<b>PGV1020CI</b>	HDMI™ Interconnect	20.0m / 65.6ft	8717587027178	CIBAG5	0	5	12
<b>PGV1302CI</b>	Flat HDMI™ Interconnect	2.0m / 6.6ft	8717587029851	CIBAG2	5	20	12
<b>PGV1303CI</b>	Flat HDMI™ Interconnect	3.0m / 9.8ft	8717587029882	CIBAG3	5	20	12
<b>PGV1305CI</b>	Flat HDMI™ Interconnect	5.0m / 16.4ft	8717587029912	CIBAG4	5	10	12

ARTICLE	DESCRIPTION	LENGTH	BARCODE	PACKAGE SIZE	INNER CARTON QTY	OUTER CARTON QTY	PAGE
PGV8929CI	100Hz Coax Interconnect	10.0m / 32.8ft	8717587027925	CIBAG3	5 5	10 10	12, 13
<b>PGV1310CI</b>	Flat HDMI™ Interconnect	10.0m / 32.8ft	8717587029974	CIBAG4	5	10	12
<b>PGV332CI</b>	Component Interconnect	1.5m / 4.9ft	8717587027208	CIBAG2	5	20	10
<b>PGV333CI</b>	Component Interconnect	3.0m / 9.8ft	8717587027239	CIBAG2	5	20	10
<b>PGV335CI</b>	Component Interconnect	5.0m / 16.4ft	8717587027260	CIBAG3	5	10	10
<b>PGV339CI</b>	Component Interconnect	10.0m / 32.8ft	8717587027291	CIBAG4	0	5	10
<b>PGV5302CI</b>	Stereo Audio Video Interconnect	1.5m / 4.9ft	8717587027321	CIBAG2	5	40	10, 11
<b>PGV5305CI</b>	Stereo Audio Video Interconnect	5.0m / 16.4ft	8717587027352	CIBAG5	5	20	10,11
<b>PGV6032CI</b>	Composite Video Interconnect	1.5m / 4.9ft	8717587027383	CIBAG2	5	40	10, 11
<b>PGV6033CI</b>	Composite Video Interconnect	3.0m / 9.8ft	8717587027413	CIBAG2	5	20	10, 11
<b>PGV6035CI</b>	Composite Video Interconnect	5.0m / 16.4ft	8717587027444	CIBAG2	5	20	10, 11
<b>PGV6039CI</b>	Composite Video Interconnect	10.0m / 32.8ft	8717587027475	CIBAG3	5	10	10, 11
<b>PGV6602CI</b>	S-Video Interconnect	1.5m / 4.9ft	8717587027505	CIBAG2	5	40	10, 11
<b>PGV6603CI</b>	S-Video Interconnect	3.0m / 9.8ft	8717587027536	CIBAG2	5	20	10, 11
<b>PGV6605CI</b>	S-Video Interconnect	5.0m / 16.4ft	8717587027567	CIBAG2	5	20	10, 11
<b>PGV6609CI</b>	S-Video Interconnect	10.0m / 32.8ft	8717587027598	CIBAG3	5	10	10, 11
<b>PGV6620CI</b>	S-Video Interconnect	20.0m / 65.6ft	8717587027628	CIBAG3	5	10	10, 11
<b>PGV7392CI</b>	SCART Interconnect	1.5m / 4.9ft	8717587032370	CIBAG3	5	40	10,11
<b>PGV781CI</b>	Flat SCART Interconnect	0.7m / 2.4ft	8717587027659	CIBAG2	5	20	10, 11
<b>PGV782CI</b>	Flat SCART Interconnect	1.5m / 4.9ft	8717587027710	CIBAG2	5	10	10, 11
<b>PGV783CI</b>	Flat SCART Interconnect	3.0m / 9.8ft	8717587027741	CIBAG3	5	10	10, 11
<b>PGV785CI</b>	Flat SCART Interconnect	5.0m / 16.4ft	8717587027772	CIBAG3	5	10	10, 11
<b>PGV789CI</b>	Flat SCART Interconnect	10.0m / 32.8ft	8717587027802	CIBAG4	5	5	10, 11
<b>PGV7820CI</b>	Flat SCART Interconnect	20.0m / 65.6ft	8717587027680	CIBAG5	0	5	10, 11
<b>PGV8902CI</b>	100Hz Coax Interconnect	2.0m / 6.6ft	8717587030000	CIBAG2	5	40	12, 13
<b>PGV8905CI</b>	100Hz Coax Interconnect	5.0m / 16.4ft	8717587030031	CIBAG3	5	20	12, 13
<b>PGV8921CI</b>	100Hz Coax Interconnect	1.0m / 3.2ft	8717587027833	CIBAG2	5	40	12, 13
<b>PGV8922CI</b>	100Hz Coax Interconnect	2.0m / 6.6ft	8717587027864	CIBAG2	5	40	12, 13
<b>PGV8925CI</b>	100Hz Coax Interconnect	5.0m / 16.4ft	8717587027895	CIBAG2	5	20	12, 13

For more information please contact us at:

[profigold.com](http://profigold.com)

Bandridge Europe N.V.  
[info@bandridge.com](mailto:info@bandridge.com)

P.O. Box 2333  
2301 CH LEIDEN, The Netherlands

©2010 Bandridge Europe N.V., Leiden, The Netherlands